POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS		
 Total 2001 Population 37,140	 Community Options and MA Waiver Programs	 Per 10,000		
Population per square mile 33	İ	Staffing - FTE Number Population Total staff 16 4.2 Administrative 1 0.3 Professional staff 10 2.6 Technical/Paraprof Support staff 5 1.4		
County ranking in state (1-72) 46	Clients Costs COP 185 \$221,277 MA Waiver *	Total staff 16 4.2		
!	COP 185 \$221,277	Administrative 1 0.3		
Age Female Male Total	MA Waiver *	Professional staff 10 2.6		
0-14 3,270 3,410 6,680	CIPIA 9 \$464,935	Technical/Paraprof		
15-19	CIPID	Support Stair 5 1.4		
20-24 640 710 1,350 25-29 770 870 1,640	MA Waiver * CIP1A	Funding Par canita		
30-34	1 CSLA 15 \$40 256	Funding Per capita Total \$884,493 \$23.90 Local Taxes \$351,759 \$9.51		
35-39	I Brain Injury 3 \$153 248	local Taxes \$351 759 \$9 51		
40-44 1,520 1,620 3,140	I Total COP/Wyrs 346 \$3.842.650			
45-54 2,730 2,720 5,450		LICENSED ESTABLISHMENTS		
55-64 2,280 2,230 4,510	\$158,618 of the above waiver costs	i		
65-74 2,000 1,990 3,980	were paid as local match/overmatch	Type Capacity Facilities		
75-84 1,240 940 2,180	using COP funds. This amount is	Bed & Breakfast 41 10		
85+ 550 240 790	not included in above COP costs.	Type Capacity Facilities Bed & Breakfast 41 10 Camps 1,068 33 Hotels, Motels 3,050 181 Tourist Rooming 456 160 Pools		
Total 18,650 18,490 37,140		Hotels, Motels 3,050 181		
Ann Famala Mala Tatal	* Waiver costs reported here	Tourist Rooming 456 160		
Age Female Male Total 0-17 4,030 4,250 8,280	include federal funding.	10013		
0-17	Clients Costs	Restaurants 101 Vending 7		
45-64	I Fligible and	Vending /		
45-64	Eligible and Waiting 25 n/a			
Total 18,650 18,490 37,140				
	(Family Care not provided in county)	WIC PARTICIPANTS		
Poverty Estimates for 2000				
Estimate (C.I.+/-)	<u> </u>	Number		
All ages 2,719 194 7.4% (7%) Ages 0-17 703 84 8.6% (12%)	Note: Eligible and waiting clients	Pregnant/Postpartum 259		
/.4% (/%)	will be phased into the COP and MA Waivers as available.	Infants 285 Children, age 1-4 450		
Ages 0-1/ /03 84	waivers as available.	Children, age 1-4 450 Total 994		
0.0% (12%)		10tat 994		
EMPLOYMENT		CANCER INCIDENCE		
Average wage for jobs covered	Home Health Agencies 2	Grinden independe		
by unemployment compensation \$25,594	Patients 863	1999		
Note: based on place of work	Patients 863 Patients per 10,000 pop. 232	Primary Site Number		
Annual				
Labor Force Estimates Average	Nursing Homes 3	Cervical 9		
Civilian Labor Fare	Licensed beds 316	Colorectal 29		
CIVILIAN LABOR FORCE 20,721	Uccupancy rate 88.8%	Trachea, Bronchus, Lung 33 Prostate 28		
Number upomployed 19,603	Peridents age 65 or older	Prostate 28 Other sites 88		
I linemolovment rate 5 1%	I ner 1 000 nonulation 30	Total 234		
Annual		10101 254		
	ı 	 		

PAGE 2

			NATA	LITY				
TOTAL LIVE BIRTHS		278	Rirth Ordor	Rirtho	Porcont	Marital Status		
TOTAL LIVE BIKING		2,0	First	112 87 48	40		Births	Percent
Crude Live Birth Rate	2	7 5	Second	87	31	Married	211	76
General Fertility Rat		42.2	Third	40	17	Not married		24
deneral restrictly Nat	. e	42.2	IIIIIU Fourth or bigbor	40 21	1 / 1 1		0	0
1			Second Third Fourth or higher Unknown	21	11	Unknown	U	U
Live births with repo congenital anomalies	rtea	2 1 10/	UNKNOWN	U	U	E L COLLO		
congenital anomalies		3 1.1%				Education		
		_	First Prenatal Visit				Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or les	s 1	< . 5
Vaginal after			1st trimester	250	90	Some high school	27	10
previous cesarean	3	1	2nd trimester	22	8	High school	103	37
previous cesarean Forceps	1	< . 5	3rd trimester	4	1	Some college	78	28
Other vaginal	208	75	2nd trimester 3rd trimester No visits Unknown	1	< . 5	Some high school High school Some college College graduate	68	24
Primary cesarean	51	18	Unknown	1	<.5	Unknown	1	<.5
Reneat cesarean	15	-š	•	_		•	_	
Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	9	Õ	Number of Prenatal			Smoking Status		
Other of anknown	O	O		Births	Percent		Births	Percent
Birthweight	Births	Porcont	No vicito	1	<.5	Smoker	72	
21 500 gm	סוו נווס	nei Ceiit	No visits 1-4	5	\.3 2	Nonsmoker	7.2	
<1,500 giii	16	9.0				Nonsilloker	205	
1,500-2,499 gm	16	5.8	5-9	37	13	Unknown	1	< . 5
2,500+ gm	262	94.2	10-12	116	42			
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	Θ	13+	119	43			
			Unknown	0	0			
			Low Pirthuoight		Trimoct	or of First Propatal	\	
			Low Birthweight	1c+ Tr	Trimest	er of First Prenatal	Visit	Hnknown
	Dinth - D	lorcont	Low Birthweight (under 2,500 gm)	1st Tr	Trimest	er of First Prenatal 2nd Trimester	Visit Other/	Unknown
Race of Mother	Dinth - D	ercent	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births	Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births	Unknown Percent
Race of Mother White	Dinth - D	Percent	Low Birthweight (under 2,500 gm) Births Percent 15 5.5	1st Tr Births	Trimest imester Percent 90	er of First Prenatal 2nd Trimester Births Percent 22 8	Visit Other/ Births 6	Unknown Percent 2
Race of Mother White Black	Births F 273 1	Percent 98 <.5	Low Birthweight (under 2,500 gm) Births Percent 15 5.5	1st Tr Births	Trimest imester Percent 90	cer of First Prenatal 2nd Trimester Births Percent 22 8 *	Visit Other/ Births 6	Unknown Percent 2
Race of Mother White Black Other	Births F 273 1 4	Percent 98 <.5 1	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * .	1st Tr Births 245 *	Trimest imester Percent 90		Visit Other/ Births 6 *	Unknown Percent 2
Race of Mother White Black Other Unknown	Births F 273 1 4 0	Percent 98 <.5	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * . * .	1st Tr Births	Trimest imester Percent 90		Visit Other/ Births 6 *	Unknown Percent 2 .
Race of Mother White Black Other Unknown	Births F 273 1 4 0	ercent 98 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 *	1st Tr Births 245 * *	Trimest imester Percent 90	or of First Propatal	 Vicit	:
Race of Mother White Black Other Unknown	Births F 273 1 4 0	Percent 98 < .5 1 0	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * * Low Birthweight (under 2,500 gm)	1st Tr Births 245 * *	Trimest imester Percent 90 Trimest	er of First Prenatal	Visit Other	 Unknown
Race of Mother White Black Other Unknown	Births F 273 1 4 0	Percent 98 < .5 1 0	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 *	1st Tr Births 245 * *	Trimest imester Percent 90 Trimest	er of First Prenatal	Visit Other	:
Race of Mother White Black Other Unknown Age of Mother <15	Births F 273 1 4 0 Fe Births	Percent 98 <.5 1 0 ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * * Low Birthweight (under 2,500 gm)	1st Tr Births 245 * *	Trimest imester Percent 90 Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent	Visit Other	 Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17	Births F 273 1 4 0 Fe Births	Percent 98 <.5 1 0 ertility Rate 8	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * * Low Birthweight (under 2,500 gm)	1st Tr Births 245 * *	Trimest imester Percent 90 Trimest imester Percent . 83	er of First Prenatal 2nd Trimester Births Percent 1 17	Visit Other	: Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17	Births F 273 1 4 0 Fe Births	Percent 98 <.5 1 0 ertility Rate 8	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 245 * *	Trimest imester Percent 90 Trimest imester Percent . 83	er of First Prenatal 2nd Trimester Births Percent 1 17 3 14	Visit Other/ Births	: Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19	Births F 273 1 4 0 Fe Births 0 6 22	Percent 98 <.5 1 0 	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * Low Birthweight (under 2,500 gm) Births Percent 2 9.1	1st Tr Births 245 * *	Trimest imester Percent 90 Trimest imester Percent . 83 82	er of First Prenatal 2nd Trimester Births Percent 1 17 3 14	Visit Other/ Births	: Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births F 273 1 4 0 	Percent 98 <.5 1 0 	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 9.1 2 3.4	1st Tr Births 245 * *	Trimestimester Percent 90 Trimestimester Percent . 83 82 83	er of First Prenatal 2nd Trimester Births Percent 1 17 3 14 8 14	Visit Other/ Births 1	: Unknown Percent 5 3
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births F 273 1 4 0 Fe Births 0 6 22 59 81	Percent 98 <.5 1 0 Prility Rate 8 58 93 106	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 9.1 2 3.4 4 4.9	1st Tr Births 245 * *	Trimestimester Percent 90 Trimestimester Percent . 83 82 83 93	er of First Prenatal 2nd Trimester Births Percent 1 17 3 14 8 14 4 5	Visit Other/ Births 2	: Unknown Percent 5 3 2
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births F 273 1 4 0 Fe Births 0 6 22 59 81 68	Percent 98 <.5 1 0 Prility Rate 8 58 93 106 63	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 9.1 2 3.4 4 4.9 3 4.4	1st Tr Births 245 * *	Trimestimester Percent 90 Trimestimester Percent . 83 82 83 93 93	er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births 1	: Unknown Percent 5 3
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births F 273 1 4 0 Fe Births 0 6 22 59 81 68 34	Percent 98 <.5 1 0 Prtility Rate 8 58 93 106 63 23	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 9.1 2 3.4 4 4.9 3 4.4 4 11.8	1st Tr Births 245 * *	Trimestimester Percent 90 Trimestimester Percent . 83 82 83 93 93 94	er of First Prenatal 2nd Trimester Births Percent 1 17 3 14 8 14 4 5	Visit Other/ Births 2	: Unknown Percent 5 3 2
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births F 273 1 4 0 Fe Births 0 6 22 59 81 68 34	Percent 98 <.5 1 0 Prtility Rate 8 58 93 106 63 23 5	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 9.1 2 3.4 4 4.9 3 4.4	1st Tr Births 245 * *	Trimestimester Percent 90 Trimestimester Percent 83 82 83 93 93 94 100	er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births 2	: Unknown Percent 5 3 2
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births F 273 1 4 0 Fe Births 0 6 22 59 81 68 34	Percent 98 <.5 1 0 Prtility Rate 8 58 93 106 63 23	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 9.1 2 3.4 4 4.9 3 4.4 4 11.8	1st Tr Births 245 * *	Trimestimester Percent 90 Trimestimester Percent . 83 82 83 93 93 94	er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births 2	: Unknown Percent 5 3 2
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births F 273 1 4 0 Fe Births 0 6 22 59 81 68 34	Percent 98 <.5 1 0 Prtility Rate 8 58 93 106 63 23 5	Low Birthweight (under 2,500 gm) Births Percent 15 5.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 9.1 2 3.4 4 4.9 3 4.4 4 11.8 1 12.5 .	1st Tr Births 245 * *	Trimestimester Percent 90 Trimestimester Percent . 83 82 83 93 93 94 100	er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births	:

MORBIDITY			MO F	RTALITY		
I	Note: Death rates (except infant) are per 100,000 population. Infant,					
	neonatal, and postneonatal death rates are per 1,000 live births.					
REPORTED* CASES OF SELECTED DISEASES	Perinatal and fetal death rates are per 1,000 live births plus					
ļ	fetal deaths. Rates are not calculated for fewer than 20 deaths.					
N. alian	TOTAL DEATHS		260	1.6.7	,	
Disease Number	TOTAL DEATHS		360	Selected	Dartha Data	
Campylobacter Enteritis <5	Crude Death Ra	ite	968	Underlying Cause	Deaths Rate	
Giardiasis 9 Hepatitis Type A 0	ļ			Heart Disease (total)	110 296 se 74 199	
Hepatitis Type A 0 Hepatitis Type B** <5	l Age	Deaths	Rate	Ischemic heart diseas Cancer (total)		
Hepatitis NANB/C 10	1 1-4	Deatiis	Nate	Cancer (total) Trachea/Bronchus/Lung	g 28 75 I	
Legionnaire's 0	1-4 5-14	3	•	Colorectal	10 .	
Lyme 6	i 15-19	2	•	Colorectal Female Breast	5 .*	
Measles 0	1 20-34	8		Cerebrovascular Diseas	se 33 89 i	
Meningitis, Aseptic 0	35-54	24	209	Lower Resp. Disease	8 .	
Meningitis, Bacterial 0	55-64	41	909	Lower Resp. Disease Pneumonia & Influenza	, i	
Mumps 0	j 65-74	67	1,684	Accidents	21 56 Ì	
Pertussis 0	j 75-84	96	4,400	Motor vehicle	11 . j	
Salmonellosis 5	j 85+	119	15,009	Diabetes	8 . j	
Shigellosis <5				Infectious & Parasitio		
Tuberculosis <5				Suicide	5 . [
	Infant		5 .			
* 2001 provisional data	Mortality	Deaths	Rate	* Rate for female brea		
I Therades are positive hosing	TOTAL INTANT	•	•	j on female popula	ition.	
test results	Mortality Total Infant Neonatal Postneonatal	•	•	I ALCOHOL AND DRUG ABUSE	AC LINDEDI VINC	
	l Unknown	•	•	OR CONTRIBUTING CAU		
Sexually Transmitted Disease	I OTIKITOWIT	•	•	I OK CONTRIBUTING CAC	JOE OF DEATH	
Chlamydia Trachomatis 22	Race of Mother			Alcohol	6 . İ	
Genital Herpes 15	White			Other Drugs	4 . i	
Gonorrhea <5	j Black			Alcohol Other Drugs Both Mentioned	1 . j	
Syphilis 0) Other					
	Unknown			MOTOR VEHICL	.E CRASHES	
	!			<u>.</u>		
TMMUNITZATIONS	Birthweight			Note: These data are		
IMMUNIZATIONS	(1,500 gm 1,500-2,499 gm	•	•	of crash, not o		
Children in Crades V 13 by	1,500-2,499 gm	•	•	Tuna of Motor	Persons Persons	
Children in Grades K-12 by Compliance Level	2,500+ gm Unknown	•	•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Injured Killed	
Compliant 6 174	I OTIKITOWIT	•	•	Total Crachec	369 11 I	
Non-compliant 34	! !			Alcohol-Related	46 2 1	
Compliant 6,174 Non-compliant 34 Percent Compliant 99.5	! Perinatal			With Citation:	70 2	
	Mortality	Deaths	Rate	I For OWI	125 1	
j				For Speeding	$\overline{111}$ $\overline{0}$	
İ	Neonatal	•		For Speeding Motorcyclist	14 1	
1	Total Perinatal Neonatal Fetal			B1CYCL1ST	/ 0	
				Pedestrian	10 0	

Per Average Charge | Per Average Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Charge Alcohol-Related
Total 133 3.6 4.6 \$6,088
18-44 63 5.3 4.2 \$4,676
45-64 49 4.9 4.9 \$7,859 Injury-Related: All Total 388 10.4 5.1 \$16,103 <18 24 2.9 3.7 \$13,290 18-44 90 7.5 5.5 \$16,707 45-64 95 9.5 5.5 \$17,146 65+ 179 25.7 4.9 \$15,623 \$168 \$22 \$38 \$25 \$126 \$39 \$52 Injury: Hip Fracture | Total 59 1.6 5.3 \$16,283 \$26 | 65+ 47 6.8 5.1 \$15,953 \$108 | \$32 \$189 Injury: Poisonings njury: Porsonings

Total 25 0.7 1.6 \$4,265 \$3

18-44 14 Total 165 4.4 3.7 \$11,180 45-64 29 2.9 3.4 \$12,848 65+ 131 18.8 3.7 \$10,603 \$50 \$37 \$200

 sychiatric

 Total
 312
 8.4
 6.9
 \$6,647

 <18</td>
 51
 6.2
 13.7
 \$9,706

 18-44
 156
 13.1
 5.0
 \$5,092

 45-64
 73
 7.3
 6.9
 \$7,447

 65+
 32
 4.6
 5.4
 \$7,535

 Chronic Obstructive Pulmonary Disease Psychiatric \$56 \$60 \$67 \$55 \$35 Coronary Heart Disease Total 438 11.8 3.4 \$18,412 45-64 151 15.2 2.8 \$17,525 65+ 259 37.3 3.8 \$19,228 \$217 i \$266 Total Hospitalizations \$716 Total 5,103 137.2 4.0 \$10,750 \$1,475 <18 583 70.4 3.1 \$5,215 \$367 18-44 1,069 89.5 3.5 \$8,114 \$726 45-64 1,176 118.0 4.1 \$12,168 \$1,436 65+ 2,275 327.2 4.4 \$12,674 \$4,147 Malignant Neoplasms (Cancers): All Total 213 5.7 6.9 \$20,472 \$117 \$158 \$338 ----- PREVENTABLE HOSPITALIZATIONS* ------Neoplasms: Female Breast (rates for female population) | Total 809 21.7 3.8 \$8,300 \$180 <18 59 7.1 2.3 \$4,415 \$31 18-44 93 7.8 2.9 \$6,856 \$53 45-64 167 16.8 3.9 \$9,495 \$159 65+ 490 70.5 4.0 \$8,635 \$609 Total 21 1.1 1.5 \$9,847 \$11 Neoplasms: Colo-rectal Total 34 0.9 9.7 \$25,932 \$24 65+ 25 3.6 9.4 \$25,696 \$92 Neoplasms: Lung
Total 15 * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Diabetes 1997 report for an explanation of the change made between 1996 and 1997.